

Trapetz / Flach negativ für Profilstärke: 1-3 mm

Trapeze / Flat negative for profile thickness 1-3 mm

Trapèze / Plat négatif pour l'épaisseur du profil 1-3 mm

Trapezio / Plano negativo para espesor de perfil 1-3 mm


Abmessung Dimension Medidas D Ø x B x d Ø mm	Zähnezahl No. teeth Denture Dentado	Best.-Nr. Order-No. Réf. No. Ref. No.	EUR*	
216 x 3,3 x 30	90	42 163 090	104,20	
250 x 3,3 x 30	2 NL 7 TK42	80	42 503 080	109,20
250 x 2,2 x 30	120	42 503 120	179,90	
250 x 3,3 x 32	2 NL 12 TK64, 11/63, 10/60	80	42 503 280	109,20
250 x 3,2 x 32	2 NL 12 TK64, 11/63, 10/60	96	42 503 296	131,30
255 x 3,2 x 30	80	42 553 080	133,90	
260 x 3,2 x 30	2 NL12 TK64, 11/63, 10/60	80	42 603 080	120,20
270 x 3,2 x 30	88	42 703 088	121,80	
275 x 3,2 x 40	4 NL 12 TK64 + 2 NL8 TK55	88	42 754 090	123,00
280 x 3,2 x 32	88	42 803 288	123,00	
300 x 3,3 x 30	96	43 003 096	128,60	
300 x 3,3 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 003 097 *	133,90
300 x 3,2 x 32	2 NL12 TK64, 11/63, 10/60	96	43 003 296	128,60
300 x 3,3 x 32	2 NL 11 TK63	96	43 003 297 *	133,90
300 x 3,3 x 40	4 NL 12 TK64 + 2 NL8 TK55	96	43 004 096	128,60
305 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 053 096	130,20
315 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 153 096	136,30
330 x 3,3 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 303 096	155,40
350 x 3,4 x 30	2 NL 12 TK64, 11/63, 10/60	108	43 503 108	159,10
350 x 3,4 x 30	2 NL 12 TK64, 11/63, 10/60	108	43 503 109 *	162,20
350 x 3,4 x 32	2 NL 12 TK64, 11/63, 10/60	108	43 503 208	159,10
350 x 3,4 x 32	2 NL 12 TK64, 11/63, 10/60	108	43 503 209 *	162, 20
350 x 3,4 x 40	4 NL 12 TK64 + 2 NL8 TK55	108	43 504 108	162,10
370 x 3,6 x 50	4 NL 15 TK80	96	43 705 096	180,60
380 x 3,8 x 32	2 NL 12 TK64, 11/63, 10/60	110	43 803 210	208,60
400 x 3,8 x 30	2 NL 12 TK64, 11/63, 10/60	120	44 003 320	225,00
400 x 3,3 x 32	2 NL 12 TK64, 11/63, 10/60	120	Dünnschnitt 44 003 221	214,20
420 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	108	44 203 108	220,00
420 x 3,2 x 32	108	44 203 208	202,30	
450 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	108	44 503 208	221,60
500 x 4,2 x 30	2 NL 12 TK64, 11/63, 10/60	120	45 003 120	276,50
500 x 4,2 x 32	2 NL 12 TK64, 11/63, 10/60	120	45 003 220	278,10
600 x 4,6 x 30	2 NL 12 TK64, 11/63, 10/60	140	46 003 140	455,30

* Mit Schallschutz Laserschlitz
Avec fentes de laser de réduction bruit

With noise reduction laser slots
con ranuras de láser de reducción de ruido

Hartmetall-Präzisions-Kreissägeblätter für Leichtmetall



TCT Precision Circular saw blades for non-ferrous-metals
Lames de scies circulaires au carbure pour métal léger
Hojas de sierra circular de metal duro para metales ligeros



Trapetz / Flach negativ für Profilstärke 2-10 mm

Trapeze / Flat negative for profile thickness 2-10 mm
Trapèze / Plat négatif pour l'épaisseur du profil 2-10 mm
Trapecio / Plano negativo para espesor de perfil 2-10 mm

Abmessung Dimension Medidas D Ø x B x d Ø mm	Zähnezahl No. teeth Denture Dentado	Best.-Nr. Order-No. Réf. No. Ref. no.	EUR*
216 x 3,0 x 30	64	42 163 060	75,60
250 x 3,3 x 30	2 NL 7 TK42	42 503 060	89,60
250 x 3,3 x 32	2 NL 12 TK64, 11/63, 10/60	42 503 260	89,60
260 x 2,4 x 30	2 NL 12 TK64, 11/63, 10/60	42 603 068	110,10
275 x 3,3 x 40	60	42 754 060	108,00
300 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	43 003 072	110,80
300 x 3,2 x 32	2 NL 12 TK64, 11/63, 10/60	43 003 272	110,80
300 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	43 003 084	123,20
300 x 3,2 x 32	2 NL 12 TK64, 11/63, 10/60	43 003 284	123,20
330 x 3,3 x 30	72	43 303 072	134,30
330 x 3,3 x 32	72	43 303 272	134,30
350 x 3,3 x 30	2 NL 12 TK64, 11/63, 10/60	43 503 072	134,50
350 x 3,3 x 30	2 NL 12 TK64, 11/63, 10/60	43 503 084	144,90
350 x 3,3 x 32	2 NL 12 TK64, 11/63, 10/60	43 503 284	144,90
350 x 3,2 x 40	4 NL 12 TK 64, 2/9/55	43 504 074	138,10
350 x 3,3 x 40	4 NL 15 TK 80, 2/9/55	43 504 084	144,90
350 x 3,3 x 50	4 NL 15 TK 80	43 505 084	160,90
370 x 3,3 x 30	78	43 703 078	151,80
370 x 3,6 x 50	4 NL 15 TK 80	43 705 084	190,10
400 x 3,8 x 30	2 NL 12 TK64, 11/63, 10/60	44 003 096	197,70
400 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	44 003 296	197,00
400 x 4,0 x 40	4 NL 12 TK64 + 2 NL 15 TK80	44 004 096	205,20
400 x 4,0 x 50	4 NL 15 TK 80	44 005 096	205,20
400 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	44 003 108	217,50
400 x 4,0 x 32	2 NL 10 TK64	44 003 208	217,50
420 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	44 203 096	209,00
450 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	44 503 296	209,00
500 x 4,2 x 30	2 NL 12 TK64, 11/63, 10/60	45 003 100	258,30



Trapetz/Flach positiv / Trapeze/Flat positive / Trapèze/Plat positif / Trapecio/Plano positivo

Abmessung Dimension Medidas D Ø x B x d Ø mm	Zähnezahl No. teeth Denture Dentado	Best.-Nr. Order-No. Réf. No. Ref. no.	EUR*	
250 x 3,2 x 30	2NL 12 TK64, 11/63, 10/60, 7/42	60	42 503 360	89,60
250 x 3,2 x 30	2NL 12 TK64, 11/63, 10/60, 7/42	80	42 503 082	109,20
250 x 3,2 x 32	2 NL 12 TK64, 11/63, 10/60	80	42 503 282	109,20
275 x 3,2 x 40	4 NL 12 TK64 + 2 NL9 TK55	72	42 754 372*	110,80
280 x 3,2 x 32		88	42 803 788	123,00
300 x 3,2 x 30	2 NL 11 TK63	48	43 003 648	105,80
300 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	72	43 003 672	110,80
300 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 003 696	128,60
300 x 3,2 x 32	2 NL12 TK64, 11/63, 10/60	96	43 003 796	128,60
350 x 3,4 x 30	2 NL 12 TK64, 11/63, 10/60	84	43 503 684	144,90
350 x 3,4 x 30	2 NL 12 TK64, 11/63, 10/60	108	43 503 308	162,10
400 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	72	44 003 672	158,60
400 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	96	44 003 696	196,40
400 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	96	44 003 796	197,20
420 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	96	44 203 196	209,00
450 x 3,8 x 32	2 NL 12 TK64, 11/63, 10/60	96	44 503 496*	212,30
450 x 3,8 x 32	2 NL 12 TK64, 11/63, 10/60	96 (Emmegi)	44 503 498	247,50
450 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	108	44 503 708*	220,00
500 x 4,2 x 30	2 NL 12 TK64, 11/63, 10/60	72	45 003 673	223,70
500 x 4,2 x 30	2 NL 12 TK64, 11/63, 10/60	120	45 003 320	276,50
500 x 4,2 x 32	2 NL 12 TK64, 11/63, 10/60	120	45 003 420	276,50
500 x 4,0 x 32	2 NL11 TK63	120 (Emmegi)	45 003 620	337,50
550 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	72 (Emmegi)	45 503 773*	336,70
550 x 4,4 x 32	2 NL 12 TK64, 11/63, 10/60	96	45 503 396	323,80
550 x 4,4 x 30	2 NL 12 TK64, 11/63, 10/60	110	45 503 610	334,20
550 x 4,4 x 32	2 NL 12 TK64, 11/63, 10/60	128	45 503 728	371,20
600 x 4,6 x 30	2 NL 12 TK64, 11/63, 10/60	140	46 003 640	455,30

* **Mit Schallschutz Laserschlitzen**
Avec fentes de laser de réduction bruit

With noise reduction laser slots
con ranuras de láser de reducción de ruido

